

OSO'S MEDICAL HISTORY

A5208797 DOG WHITE / BROWN N PIT BULL

8/12/2018

RVT EXAM NORMAL

Treatment Description:

Attempted exam/vaccines: dog is extremely fearful. will no walk out of the leash; no signs of aggression noted. crouching down
Will atemp again in a couple days
Unable to vaccinate or examine at this time.
RV

8/13/2018

8/13/2018

SX EXAM

NORMAL

58.80LBS

Treatment Description:

Nobivac 3-Rabies Vaccine Lot # 230360 28NOV2018

DHLPP, Bordetella, Canine Influeza Bivalent (booster in 3 weeks)

Avid microchip applied # 601 819 783

Rx Vetprofen 100 mg 1 tablet SID for 3 days (Pain Medication)

Recommend second dose of canine influenza vaccine.

S: Patient presents for Dog Castration.

O: Physical examination

Temperature- UTO Pulse- 140 Respiration-30 MM- pink CRT- < 2 sec BAR

Weight 58.8lbs BCS 4/9

EENT- Dog was biting come-along pole, causing small lacerations in mouth, inner upper lip.

Cardiovascular/Respiratory- NSF

Abdomen- NSF

Musculoskeletal- NSF

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- NSF

Integument- NSF

Behavior:

A: Patient is apparently healthy.

P: Surgery Report- Dog Neuter

Anesthesia

Pre-anesthetic: Acepromazine (2mg/ml) 0.58 cc IM, Butorphanol (10mg/ml) 0.82 cc IM, PenGBP (150,000U/150,000U/ml) 3.0cc SQ

Induction: Ketamine (100 mg/ml) 1.45cc IV, Midazolam (5 mg/ml) 0.72cc IV

Intubation: Endotracheal tube size 11.0

Maintenance: Oxygen 1L Isoflurane 2%

Monitoring: Pulse oximeter

Supportive care: Thermoregulation pad/blanket

A testicle was pushed up onto midline in the pre- scrotal area and a midline incision was made over the testicle (#10). The testicle was then exteriorized and freed of subcutaneous and connective tissue, manually with gauze. A carmalt was then placed over the vas deferens, cremaster, and vessels proximal to the epididymis. A single ligature (Miller's knot, 2-0 PDS) was placed proximal to the clamp and the testicle removed distal to the clamp. The clamp was then removed and the stump checked for bleeding. This procedure was repeated on the second testicle. The subcutaneous tissue was then closed using a single cruciate suture of 2-0 Monocryl. Skin closed using 2-0 Monocryl in a simple intradermal pattern. Tissue glue was placed on the skin.

Surgeon:

CANINE FLU BIVALENT

Date Given:8/13/2018

BORDETELLA

Date Given:8/13/2018

DHLPP

Date Given:8/13/2018

VETPROFEN 100

Date Given:8/13/2018

RABIES

Date Given:8/13/2018

7/7/2026

INTAKE EXAM

ILLNESS

82.00LBS

Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Owner surrender, OTC

Microchip found with #:AVID601819783

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Upright, Reluctant to approach, Stiff/tense

Ears: Flattened back

Eyes: Avoids contact, Whale eye

Mouth: Lips long and soft, Closed

Vocalizing: Quiet

Fear-Anxiety-Stress level observed at intake: (3) Moderate FAS

Other behavior observations: dodging, hiding, nervous, and flighty. Dog was muzzled as a precaution for exam. Dog failed/fought when ACA attempted to stand up or flip over to examine VD aspect. Reactive to IN vaccine.

Medical Observations:

WT 82lbs

Age: 8 years

Gender: male

BCS 5/9

MM- pink CRT- < 2 sec mentation: BAR

EENT: NSF

CV: NSF

RESP:NSF

Abdomen/UG: neutered/no presence of testicles.

PLN: NSF

Musculoskeletal: amb x 4

Integument: large pendulous walnut sized growth proximal to prepuce, scattered old scars, bilateral pressure sores elbows.

Grooming score: 2

Neuro: NSF

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Bravecto (fluralaner) >44-88lb dose topically once

8.2cc Pyrantel pamoate suspension 50mg/ml PO once

vetcheck

Assisted by:

BORDETELLA

Date Given:7/7/2026

BRAVECTO CANINE 44-88LBS

Date Given:7/7/2026

8.20 DEWORM PYRANTEL 1.00
TIMES/DAY FOR 1.00 DAYS

Date Given:7/7/2026

DHLPP

Date Given:7/7/2026

7/8/2026

VET EXAM

OTHER

Treatment Description:

S: Patient on vet check for large pendulous mass cranial to the prepuce. Hx of aggression; exam limited due to temperament.

O: PHYSICAL EXAM

HR: uto Respiration: 32 CRT < 2sec BAR MM Pink BCS 5/9

EENT: Eyes clear OU, ears grossly clean AU, nose clean. Oral exam not performed today.

LN: no obvious lesions

Thorax: eupneic, no obvious signs of distress. Cardiac auscultation not performed due to temperament.

Abdomen: 5 cm erythematous, pendulous mass located cranial to the prepuce. Abdominal palpation not performed due to patient temperament.

Genitourinary: clean, no d/c noted

Integument: Extensive chronic healing lesion/scar over RHL extending from femur to hock w/alopecia, mild erythema, and healthy granulation tissue. Approx 1 cm decubital ulcer present on lateral aspect of right fifth digit. Bilateral elbow calluses.

Diffuse alopecia/scarring on LHL

Musculoskeletal: amb x4, no lameness noted today. Full ortho exam not performed

Neuro: mentation appropriate, no gross deficits. Full neuro exam not performed.

A:

- ~5 cm pendulous preputial/cranial preputial mass: r/o benign mass (lipoma, cyst), neoplasia (mast cell tumor, soft tissue sarcoma, perianal/hepatoid gland tumor, other cutaneous neoplasm), abscess, or other

-

Chronic multifocal dermal scarring/healing wounds w/ right fifth digit decubital ulcer and bilateral elbow calluses: r/o chronic pressure or previous trauma.

- No evidence of active infection noted on today's exam

P:

Monitor the preputial mass for changes in size, ulceration, bleeding, discharge, or discomfort, and monitor skin lesions for delayed healing or signs of infection. Continue monitoring appetite, behavior and worsening condition and contact veterinarian if this occurs. Feed canned food to entice appetite, if necessary.

HEALTH WAIVER.

Input by

7/15/2026

7/15/2026

RVT EXAM

OTHER

Treatment Description:

Blood spots noted in kennel during AM rounds
Mass near prepuce appears to now be bleeding
Due to behavior unable to place collar

Cefpodoxime 100mg: 3 tab po sid x 10d
Gabapentin 100mg: 3 cap po bid x 10d

Vet to recheck

MONITOR

Date Given:7/15/2026

3.00 GABAPENTIN 100MG CAP 2.00
TIMES/DAY FOR 10.00 DAYS

Date Given:7/15/2026

3.00 CEFPODOXIME 100 TABLET
1.00 TIMES/DAY FOR 10.00 DAYS

Date Given:7/15/2026

IF YOU OR YOUR VETERINARIAN HAVE ANY QUESTIONS REGARDING THE MEDICAL TREATMENT YOUR
ANIMAL HAS RECEIVED
PLEASE CALL US AT (562) 940-6898