

VYKE'S MEDICAL HISTORY

A5712307 9.40LBS DOG TAN / WHITE N GERM SHEPHERD

7/10/2025

INTAKE EXAM

NORMAL

9.40LBS

Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, OTC

Microchip not found

Behavioral Observations

Offer tasty food: Readily ate

Type of food offered: Canned

Overall body posture: Crouched , Reluctant to approach

Ears: Neutral

Eyes: Whale eye

Mouth: Lips long and soft

Vocalizing: Quiet

Fear-Anxiety-Stress level observed at intake: (1) Low FAS

Other behavior observations: friendly but nervous

Medical Observations:

WT 9.4 lbs

Age: ~ 3 months

Gender: male

BCS 4 / 9

MM- pink CRT- < 2 sec BAR

EENT: deciduous teeth present

CV: NSF

RESP: NSF

Abdomen/UG: two palpable testicles

PLN: NSF

Musculoskeletal: amb x 4

Integument: NSF

Neuro: NSF

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Nexgard-Afoxolaner 4-10# (11.3mg) PO once

0.9 cc Pyrantel pamoate suspension 50mg/ml PO once

0.4 cc Ponazuril 250mg/ml suspension PO once

Assisted by:

0.35 PONAURIL 1.00 TIMES/DAY
FOR 1.00 DAYS

Date Given:7/10/2025

0.90 DEWORM PYRANTEL 1.00
TIMES/DAY FOR 1.00 DAYS

Date Given:7/10/2025

NEXGARD 4-10LBS

Date Given:7/10/2025

BORDETELLA

Date Given:7/10/2025

DHLPP

Date Given:7/10/2025

7/17/2025

SX EXAM

NORMAL

10.40LBS

Treatment Description:

****Tapeworms observed in Stool****

NOBIVAC 3 Serial number: 777372 EXP 01/01/26

Microchip applied # 956000019947421

Rx Vetprofen 25 mg tablet SID for 3 days (Pain Medication)

S: Patient presents for Dog Castration.

O: Physical examination

Temperature- 100.9 Pulse- 140 Respiration- 50 MM- pink CRT- < 2 sec BAR

Weight- 10.4 lbs BCS 4/9

EENT- NSF

Cardiovascular/Respiratory- NSF

Abdomen- NSF

Musculoskeletal- NSF

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- NSF

Integument- NSF

Behavior: friendly, social throughout, easy to work with

A: Patient is fit for surgery.

P: Surgery Report- Dog Neuter

Anesthesia

Pre-anesthetic: Acepromazine (2mg/ml) 0.12 cc IM, Butorphanol 10mg/ml: 0.14 cc IM,

Ampicillin 200mg/ml: 0.52 cc SQ

Induction: Ketamine (100 mg/ml) 0.25 cc IV, Midazolam (5 mg/ml) 0.25 cc IV

Intubation: Endotracheal tube size 4.5

Maintenance: Oxygen 2L Isoflurane 2%

Monitoring: Pulse oximeter

Supportive care: Thermoregulation pad/blanket

A testicle was pushed up onto midline in the pre- scrotal area and a midline incision was made over the testicle (#10). The testicle was then exteriorized and freed of subcutaneous and connective tissue, manually with gauze. A carmalt was then placed over the vas deferens, cremaster, and vessels proximal to the epididymus. A single ligature (Miller's knot, 2-0 PDS) was placed proximal to the clamp and the testicle removed distal to the clamp. The clamp was then removed and the stump checked for bleeding. This procedure was repeated on the second testicle. The subcutaneous tissue was then closed using a single cruciate suture of 2-0 Monocryl. Skin closed using 2-0 Monocryl in a simple intradermal pattern. Tissue glue was placed on the skin.

Intradermal tattoo placed

Praziquantel 56.8 mg/ml 0.42 ml SQ

Surgeon

0.42 DRONCIT 1.00 TIMES/DAY FOR
1.00 DAYS

Date Given:7/17/2025

RABIES

Date Given:7/17/2025

VETPROFEN 25

Date Given:7/17/2025

7/21/2025

EXIT EXAM

NORMAL

Treatment Description:

Patient on exit exam

PHYSICAL EXAMINATION

Pulse- 140 Respiration- 32 MM- pink CRT- < 2 sec Mentation- BAR BCS 5/9

EENT- NSF

Cardiovascular/Respiratory- NSF

Abdomen- NSF

Musculoskeletal- NSF

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- neuter site is clean, dry, intact, recommend e-collar for 10 days.

Integument- NSF

Recheck with regular veterinarian

Please keep surgery site dry; no bathes until after 07/31/25

*Monitor for signs of illness: sneezing, coughing, nasal discharge, ocular discharge, diarrhea, vomiting, lethargy, inappetence- take to a vet if seen

*Examinations by certain private veterinarians are free of charge to shelter pets within 7 days of adoption

*Contact your local veterinarians for more information.

Assisted by:

6/24/2026

6/24/2026

INTAKE EXAM

NORMAL

Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Owner surrender, OTC

Microchip found with #:956000019947421

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Upright, Reluctant to approach Stiff/tense

Ears: Forward

Eyes: Hard stare

Mouth: Lips tense/short, Lip lift/showing teeth

Vocalizing: Barking, Growling

Fear-Anxiety-Stress level observed at intake: (5) High FAS

Other behavior observations: lunging, alligator rolling, attempting to bite, biting come-along

Medical Observations:

WT 50-60lbs

Age: 1 year 2 months

Gender: altered male

BCS 7/9

MM-pink CRT- uto mentation: fractious

EENT: unable to examine

CV: uto

RESP: uto

Abdomen/UG: uto

PLN: uto

Musculoskeletal: amb x 4

Integument: NSF

Neuro: uto, NSF

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Bravecto (fluralaner) >44-88lb dose PO once

6cc Pyrantel pamoate suspension 50mg/ml PO once

Needs BET

Was Entered By:

BORDETELLA

Date Given:6/24/2026

BRAVECTO CANINE 44-88LBS

Date Given:6/24/2026

6.00 DEWORM PYRANTEL 1.00
TIMES/DAY FOR 1.00 DAYS

Date Given:6/24/2026

DHLPP

Date Given:6/24/2026

IF YOU OR YOUR VETERINARIAN HAVE ANY QUESTIONS REGARDING THE MEDICAL TREATMENT YOUR
ANIMAL HAS RECEIVED
PLEASE CALL US AT (562) 940-6898