

LIDIA'S MEDICAL HISTORY

A5779643 6.80LBS CAT BRN TABBY / BLACK S DOMESTIC MH

5/29/2026

INTAKE EXAM

OTHER

6.80LBS

Treatment Description:

Cat FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, Field

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Flattened, Tense, Stiff/Frozen, Swatting

Ears: Back

Eyes: Hard stare

Mouth: Panting/ Rapid Breathing

Vocalizing: Hissing , Growling/Yowl

Fear-Anxiety-Stress level observed at intake: (5) High FAS

Other behavior observations: hissing, growling, swatting, biting. Unable to handle.

Medical Observations:

WT 6.8lbs

Age: 1 year- guesstimate

Gender: female- suspect

BCS 4/9

MM- pink CRT- UTO mentation: fractious

EENT: UTO

CV: UTO

RESP: NSF

Abdomen/UG: prominent nipples- possibly pregnant or queened recently

PLN: UTO

Musculoskeletal: amb x 4

Integument: NSF

Neuro: NSF

P: Routine vaccinations:

Nobivac FVRCP SQ RFL

0.7cc Pyrantel pamoate suspension 50mg/ml PO once

0.7cc Ponazuril suspension 250mg/ml PO once

monitor for queening x 5d

MONITOR FOR QUEENING

Date Given:5/29/2026

0.70 PONAZURIL 1.00 TIMES/DAY
FOR 1.00 DAYS

Date Given:5/29/2026

0.70 DEWORM PYRANTEL 1.00
TIMES/DAY FOR 1.00 DAYS

Date Given:5/29/2026

FVRCP

Date Given:5/29/2026

5/29/2026

INTAKE EXAM

OTHER

6.80LBS

Treatment Description:

ADDENDUM: bravecto given

Cat FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, Field

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Flattened, Tense, Stiff/Frozen, Swatting

Ears: Back

Eyes: Hard stare

Mouth: Panting/ Rapid Breathing

Vocalizing: Hissing , Growling/Yowl

Fear-Anxiety-Stress level observed at intake: (5) High FAS

Other behavior observations: hissing, growling, swatting, biting. Unable to handle.

Medical Observations:

WT 6.8lbs

Age: 1 year- guesstimate

Gender: female- suspect

BCS 4/9

MM- pink CRT- UTO mentation: fractious

EENT: UTO

CV: UTO

RESP: NSF

Abdomen/UG: prominent nipples- possibly pregnant or queened recently

PLN: UTO

Musculoskeletal: amb x 4

Integument: NSF

Neuro: NSF

P: Routine vaccinations:

Nobivac FVRCP SQ RFL

0.7cc Pyrantel pamoate suspension 50mg/ml PO once

0.7cc Ponazuril suspension 250mg/ml PO once

bravecto (fluralaner) >6.2-13.8 lb dose topically once

monitor for queening x 5d

BRAVECTO FELINE: 6.2-13.8LBS

Date Given:5/29/2026

RVT EXAM

ILLNESS

Treatment Description:

Noticed rostral swelling post intake.

vetchek

RVTEC839

6/2/2026

VET EXAM

OTHER

Treatment Description:

Exam time 10 mins

S: On vet check for possible swelling of face

O: PHYSICAL EXAM (limited exam)

HR: uto Respiration: 24 CRT uto BAR MM Pink BCS 4/9

Patient:

EENT: eyes clear OU, nose clean, ears grossly clean AU. No oral exam today.

LN: n/e

Thorax: eupneic, no obvious signs of distress, n/e

Abdomen: n/e

Genitourinary: no obvious lesions/discharge noted

Integument: clean full coat, poss mild swelling of muzzle

Musculoskeletal: hiding in den

Neuro: appropriate mentation, no gross deficits

A: Poss swelling of muzzle R/O traumatic, fungal, open

P: Rx Onsior 1 T PO SID x 3d monitor for resolution

Monitor for appetite, behavior and worsening condition and contact veterinarian if this occurs. Feed canned food to entice appetite, if necessary.

HEALTH WAIVER

Input by

ONSIOR 6

Date Given: 6/2/2026

6/3/2026

6/3/2026

SX EXAM

NORMAL

7.00LBS

Treatment Description:

NOBIVAC 3 Serial number: 856741 Exp 01/28/27

Microchip applied # 956000019967207

S: Cat spay scheduled today.

O: Physical examination

Pain medication: Zorbium (20mg/ml): 0.4 cc Topically- lasts for 3 days

T- 101 P- 210 R- 50 MM- pink CRT- < 2 sec BAR

Weight 7 lbs. BCS 4.5/9

EENT- mild dental clac., hairloss/scratches on nasal bridge abd forehead

Cardiovascular/Respiratory- NSF

Abdomen- engorged mammaryes

Musculoskeletal- NSF

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- NSF

Integument- broken 1st and 5 th digit on LF paw- nail quick exposed on 5th digit, hairloss/scratch

Behavior: hissing and growling in den, limited exam before sedation due to behavior

A: Patient is apparently healthy.

P: Surgery Report

Anesthesia

Pre-anesthetic: Cefovecin 80 mg/ml: 0.31 ml SQ, Onsior 6 mg/ml: 0.31 ml SQ

Induction: Telazol (100 mg/ml) 0.18 cc IM / gas down w/ ISO + O2

Intubation: Endotracheal tube size 4

Maintenance: Oxygen 2L Isoflurane 2%

Monitoring: Pulse oximeter

Supportive care: Thermoregulation pad/blanket

A 3 cm midline abdominal incision was made through the skin caudal to the umbilicus (#10). The subcutaneous tissue was then bluntly dissected with metzenbaum scissors. The linea alba was tented and a stab incision was made through the linea alba (#10). The linea alba incision was then lengthened (#10) while protecting the internal organs with forceps. The right horn of the uterus was exteriorized with a spay hook. The ovarian ligament was then broken manually and the right ovary was exteriorized. A hemostat was used to perform a pedicle tie. The pedicle was then incised distal to the hemostat. The hemostat was then removed and the pedicle checked for bleeding before the stump was placed back into the abdomen. The left uterine horn and ovary were removed in a similar fashion. A hemostat was then placed between the cervix and the uterine bifurcation. The hemostat was removed and a single ligature (3-0 PDS-Modified Miller's knot) was applied to the uterus in the crimped edge. The hemostat was then placed cranial to the ligature and the uterus was incised cranial to the hemostat. The clamp was then removed and the uterine stump checked for bleeding. The abdominal wall was closed (3-0 Monocryl-simple continuous pattern). The subcutaneous tissue was then closed (simple continuous pattern-3-0 Monocryl) and the skin was closed (3-0 Monocryl-subcuticular pattern).

Tattoo placed

Surgeon:

0.31 ONSIOR 6 1.00 TIMES/DAY
FOR 1.00 DAYS

Date Given:6/3/2026

0.31 CONVENIA INJ 1.00 TIMES/DAY
FOR 1.00 DAYS

Date Given:6/3/2026

6/3/2026

ZORBIUM (20MG/ML) 0.4ML

Date Given:6/3/2026

RABIES

Date Given:6/3/2026

6/12/2026

RVT EXAM

NORMAL

Treatment Description:

FVRCP bootser SC once. Good for one year. Corraled cat into carrier and vaccinated through carrier due to behavior (lunging, hissing, swatting, trying to bite).

RVTE

FVRCP

Date Given:6/12/2026

IF YOU OR YOUR VETERINARIAN HAVE ANY QUESTIONS REGARDING THE MEDICAL TREATMENT YOUR
ANIMAL HAS RECEIVED
PLEASE CALL US AT (562) 940-6898