

BEBE'S MEDICAL HISTORY

A5785311 65.80LBS DOG BLACK / WHITE N BELG MALINOIS

6/24/2026

INTAKE EXAM

OTHER

65.80LBS

Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Owner surrender, OTC

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Crouched, Reluctant to approach, Stiff/tense, Frozen, Flattened

Ears: Flattened back

Eyes: Soft eye gaze, Avoids contact, Whale eye

Mouth: Lips long and soft, Closed

Vocalizing: Quiet

Fear-Anxiety-Stress level observed at intake: (4) High FAS

Other behavior observations: Terrified and had to be carried into RVT room. Not leash trained- chewing through leash. Not aggressive but fearful.

Medical Observations:

WT 65.8lbs

Age: 1 year

Gender: male

BCS 5/9

MM- pink CRT- < 2 sec mentation: QAR

EENT: mild tartar, alopecia periorcular OU

CV: NSF

RESP: NSF

Abdomen/UG: two testicles visualized

PLN: NSF

Musculoskeletal: amb x 4

Integument: scattered scabbing/crusting, abrasions/sores on mouth/face, generalized erythema/skin condition

Grooming score: 3

Neuro: NSF

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Bravecto (fluralaner) >44-88lb dose topically once

6.6cc Pyrantel pamoate suspension 50mg/ml PO once

Convenia (80mg/mL @ 0.045mL/lb) 3mL SC once

vetchek

Assisted by

6.60 CONVENIA INJ 1.00 TIMES/DAY
FOR 1.00 DAYS

Date Given: 6/24/2026

BRAVECTO CANINE 44-88LBS

Date Given: 6/24/2026

BORDETELLA

Date Given: 6/24/2026

6/24/2026

6.60 DEWORM PYRANTEL 1.00
TIMES/DAY FOR 1.00 DAYS

Date Given:6/24/2026

DHLPP

Date Given:6/24/2026

6/25/2026

VET EXAM

OTHER

Treatment Description:

Exam time 10 mins

S: On vet check for check skim

O: PHYSICAL EXAM (limited exam)

HR: uto Respiration: 32 CRT uto BAR MM Pink BCS 4/9

Patient:scared, backed into a corner, stiff, whale eye

EENT: eyes clear OU, nose clean, ears grossly clean AU. No oral exam today.

LN: n/e

Thorax: eupneic, no obvious signs of distress, n/e

Abdomen: n/e

Genitourinary: no obvious lesions/discharge noted

Integument: periorcular alopecia, patchy alopecia on body

Musculoskeletal: amb x4

Neuro:appropriate mentation, no gross deficits

A: Patchy alopecia R/O atopic, other allergy, FAD, open

P: Ok to cont txt per SP

Monitor for appetite, behavior and worsening condition and contact veterinarian if this occurs. Feed canned food to entice appetite, if necessary.

HEALTH WAIVER

Input by

6/29/2026

6/29/2026

SX EXAM

NORMAL

57.60LBS

Treatment Description:

NOBIVAC 3 Serial number: 856741 EXP: 28JAN27

Microchip applied # 956000019952725

Rx Vetprofen 125 mg tablet SID for 3 days (Pain Medication)

S: Patient presents for Dog Castration.

O: Physical examination

Temperature- 101.6 Pulse- 100 Respiration- 30 MM- pink CRT- < 2 sec BAR

Weight 57.6 lbs BCS 5/9

EENT- NSF

Cardiovascular/Respiratory- NSF

Abdomen- NSF

Musculoskeletal- NSF

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- NSF

Integument- NSF

Behavior: not leash trained (will chew leash), needs to be carried, scared but easy to handle

A: Patient is fit for surgery

P: Surgery Report- Dog Neuter

Anesthesia

Pre-anesthetic: Acepromazine (2mg/ml) 0.7 cc IM, Butorphanol 10mg/ml: 0.8 cc IM,

Pen G 3(00,000units/ml): 2.9 SQ

Induction: Ketamine 100mg/ml: 1.3 ml + Midazolam 5mg/ml: 1.3 ml IV

Intubation: Endotracheal tube size 9.5

Maintenance: Oxygen 1L Isoflurane 2%

Monitoring: Pulse oximeter

Supportive care: Thermoregulation pad/blanket

A testicle was pushed up in the scrotum on the median raphe area and a slightly off midline incision was made over the testicle (#10). The testicle was then exteriorized and freed of subcutaneous and connective tissue, manually with gauze. A carmalt was then placed over the vas deferens, cremaster, and vessels proximal to the epididymus. A single ligature (Miller's knot, 2-0 PDS) was placed proximal to the clamp and the testicle removed distal to the clamp. The clamp was then removed and the stump checked for bleeding. This procedure was repeated on the second testicle. The subcutaneous tissue was apposed using a single cruciate suture of 2-0 Monocryl. Tissue glue was placed on the skin.

Intradermal tattoo placed

Surgeon

1.25 VETPROFEN 100 1.00
TIMES/DAY FOR 3.00 DAYS

Date Given:6/29/2026

RABIES

Date Given:6/29/2026

7/1/2026

7/1/2026

RVT EXAM

ILLNESS

Treatment Description:

Visual exam during treatments, in kennels:

PHYSICAL EXAMINATION

Pulse- UTO Respiration- 30 MM-UTO CRT- UTO Mentation- BAR
EENT-Mucoid nasal discharge; did not look in mouth or ears.
Cardiovascular/Respiratory- Did not auscultate heart; coughing
Abdomen- UTO
Musculoskeletal- UTO
Neurologic- UTO
Lymph nodes- UTO
Genito-urinary- UTO
Integument- UTO

Per Shelter Protocol:

Doxycycline 100mg, 3 capsules PO SID X 10 days.

Azithromycin 250mg: 1 tab po sid x 7d

Veterinarian to evaluate

RVT

AZITHROMYCIN

Date Given:7/1/2026

3.00 DOXYCYCLI 100 1.00
TIMES/DAY FOR 10.00 DAYS

Date Given:7/1/2026

7/2/2026

7/2/2026

VET EXAM

ILLNESS

Treatment Description:

Exam time 10 mins

S: On vet check for possible nasal discharge

O: PHYSICAL EXAM (limited exam)

HR: uto Respiration: 24 CRT uto BAR MM Pink BCS 4/9

Patient:

EENT: serous nasal discharge and sneezing during examination. No oral exam today.

LN: n/e

Thorax: eupneic, no obvious signs of distress, n/e

Abdomen: n/e

Genitourinary: no obvious lesions/discharge noted

Integument: clean full coat

Musculoskeletal: amb x4

Neuro: appropriate mentation, no gross deficits

A: Nasal discharge : CIRDC, CDV, other infectious, pulmonary disease, open

P: ok to cont txt per SP

Monitor for appetite, behavior and worsening condition and contact veterinarian if this occurs. Feed canned food to entice appetite, if necessary.

If this patient continues to show signs after 7 days, bring to veterinarian for refill of medication. The infection may take up to 3 weeks to clear.

HEALTH WAIVER

Input by

7/15/2026

7/15/2026

RVT EXAM

ILLNESS

Treatment Description:

Visual exam during treatments, in kennels:

PHYSICAL EXAMINATION

Pulse- UTO Respiration- 30 MM-UTO CRT- UTO Mentation- BAR

EENT-Mucoid nasal discharge; did not look in mouth or ears.

Cardiovascular/Respiratory- Did not auscultate heart; coughing

Abdomen- UTO

Musculoskeletal- UTO

Neurologic- UTO

Lymph nodes- UTO

Genito-urinary- UTO

Integument- UTO

Per Shelter Protocol: (2nd round) extend;

Doxycycline 100mg, 3 capsules PO SID X 7 days.

Azithromycin 250mg: 1 tab po sid x 7d

Spitting out/eating around pills- need to crush
pillable

Veterinarian to evaluate

RVT

MEDICATION

Date Given:7/15/2026

AZITHROMYCIN

Date Given:7/15/2026

3.00 DOXYCYCLI 100 1.00
TIMES/DAY FOR 7.00 DAYS

Date Given:7/15/2026

IF YOU OR YOUR VETERINARIAN HAVE ANY QUESTIONS REGARDING THE MEDICAL TREATMENT YOUR
ANIMAL HAS RECEIVED
PLEASE CALL US AT (562) 940-6898